

Contents

Preface	i-ii
Shallow structure and paleoseismic activity of the seaward extension of the active reverse fault zone along the western margin of the Hakodate Plain Kyoko Kagohara, Yasuhito Uchida, Fumitoshi Murakami, Kenji Nishina, Sunao Ohtsu and Noritoshi Okazaki	1-43
Inland-limit of the tsunami deposit associated with the 2011 Off-Tohoku Earthquake in the Sendai and Ishinomaki Plains, Northeastern Japan Masanobu Shishikura, Osamu Fujiwara, Yuki Sawai, Yuichi Namegaya and Koichiro Tanigawa	45-61
Shallow (to 1 km in depth) subsurface structure revealed by reprocessing of seismic reflection survey data in the Musashino Plateau in the Tokyo area, central Japan Haruo Kimura, Toshio Nakayama, Naomi Kano, and Katsumi Kimura	63-76
Paleoseismological study of the Sami and Shirakawa faults in the Atera fault zone, central Japan Toshikazu Yoshioka, Daisuke Hirouchi, Nobuhiko Sugito, Takashi Hosoya and Koji Magara	77-102
Piston coring survey on the Urazoko Fault, a segment of the Urazoko-Yanagaseyama Fault Zone, in Tsuruga Bay, Fukui Prefecture, central Japan Yuichi Sugiyama, Izumi Sakamoto, Yoshiyuki Takino, Takuya Usami and Takahiro Nagata	103-148
Examination on geometry, size and rupturing history of the Urazoko-Yanagaseyama Fault Zone Yuichi Sugiyama, Izumi Sakamoto, Yoshiyuki Takino, Takuya Usami, Hiroki Kishimoto and Takahiro Nagata	149-193
Spatial distribution of faults based on high-resolution multichannel seismic reflection profiling in the offshore extension of the Gomura fault zone, southwest Japan Shintaro Abe, Hirofumi Yamamoto and Ryoyu Arai	195-240
On some problems of a method for shallow crustal stress orientation measurement by using borehole deformation: Results of in-situ measurements at AIST integrated groundwater observation stations, southwestern Japan Tsutomu Kiguchi, Yasuto Kuwahara and Naoji Koizumi	241-262